






SECTION A-A



SECTION B-B



正式文件
不准复印
19年3月4日



SYMBOL	MILLIMETER		
	MIN	NOM	MAX
A2	1.40	1.50	1.60
$\triangle 2$ b	0.38	--	0.46
b1	0.37	0.40	0.43
$\triangle 2$ c	0.38	--	0.42
$\triangle 2$ c1	0.37	0.38	0.39
a	0.46	--	0.56
a1	0.45	0.48	0.51
$\triangle 2$ D	4.40	4.50	4.60
$\triangle 3$ D1	1.62	--	1.83
$\triangle 3$ E	3.95	--	4.25
E1	2.40	2.50	2.60
e	1.50BSC		
$\triangle 3$ L1	0.89	--	1.20

L/F Size (mil)	Size (mm)	$\triangle 1$ D2	$\triangle 1$ E2
85*70		1.75REF	2.84REF

$\triangle 3$	changed L1 size . from 0.80/1.00/1.20 to 0.89-1.20	WANG Xia	2019/02/25
$\triangle 3$	changed D1 size . from 1.70REF to 1.62-1.83	WANG Xia	2019/02/25
$\triangle 2$	changed E size . from 4.0-4.40 to 3.95-4.25	WANG Xia	2016/05/16
$\triangle 1$	update the tolerance b, c, c1, D, E1	WANG Xia	2016/05/16
$\triangle 1$	Add the size of exposed pad	SUN Yali	2015/07/29
REV.	Description	Signature	Date
Drafted By	WANG Xia	Verified By	LI Jianjun
Confirmed By	CHEN Guolan	Verified By	WEI Cunjing
Verified By	HE Wenhai	Approved By	LI Xizhou

Title			
SOT89-5L POD (14R)			
DWG No.		REF No.	
HTFN8954525-14P			
Unit	REV.		Effective Date
mm	D		